US ERA ARCHIVE DOCUMENT



# Ecosystem services altered by human changes in the N cycle: A new perspective for decision-making

- J. Compton, R. Dennis, T. Greaver, B. Hill, S. Jordan, H. Walker, US EPA ORD
- J. Harrison, Washington State University
- H. Campbell, Oregon State University




## **Ecosystem services (ES)**

 the aspects of ecosystems used to produce human well-being (Fisher et al. 2008 Ecol Apps)

#### Goal of our work

- use N cascade to connect nitrogen impacts to ES
- present economic valuation estimates if possible
- discuss climate-N interactions in ES


### The nitrogen cascade



#### Effects of nitrogen on air ecosystem services

	Reduced visibility
	Human respiratory health
Clean Air	Human respiratory health
	Crop production declines - ozone
	Forest production declines - ozone
Climate and UV regulation	UV damage – health, crops, corals
	Anticipated climate change

#### Damage to air ecosystem services




#### Effects of nitrogen on water ecosystem services


	Reduced lakefront property values
Freshwater ES	Impairment of boating access
	Freshwater endangered species
	Cost of HABs (swimming, drinking)
Drinking water	Bottled water purchases (odor, taste)
	Treatment for nitrate in wells
	Nitrate in DW (colon cancer)
	Other health costs of nitrate in DW
Coastal ES	Recreational use of estuary
	Fisheries decline with SAV loss
	Cost of HABs (closures, fish kills)

#### Damage to water ecosystem services

#### Cost (\$/kg N)




#### Effects of nitrogen on ecosystem services




Costs of abatement or mitigation	\$ kg <sup>-1</sup> N
By source	
Electric utilities/NO <sub>x</sub>	\$4.80
$Industrial/NO_x$	\$22.00
Mobile sources	\$14.00
Non-agricultural/NH <sub>3</sub>	NE
Agriculture/NO <sub>3</sub>	\$10.00
Urban and mixed land use/NO <sub>3</sub>	\$96.00
Point Sources	\$18.00
Agricultural drainage water/NO <sub>3</sub>	\$2.71
Integrated plans	
Current expenditures towards meeting Chesapeake TMDLs – (1985–2009)	\$8.76
Projected costs to meet Chesapeake TMDLs - (2010-2025)	\$14.27
Projected costs of using wetlands to control nutrient damages Estimated cost for achieving a 45% reduction in nitrate-N load	\$4.40-5.62 \$2.50

NE = no estimate.

### Links between N and other services




## The nitrogen cascade










Courteey of USDA ARS


**EPA**United States

#### NO<sub>x</sub>, SO<sub>2</sub> and NH<sub>3</sub> National Emissions Trends

Environmental Protection



## The nitrogen cascade



#### **Conclusions**

#### **Current impact of nitrogen on ES**

- Human health air effects dominate
- Some effects on fisheries production are very large
- Many impacts not valued or only 1 data point
- Damages generally greater than abatement costs
- Uncertainties about transferability of functions

#### What information on impacts is needed?

- Freshwater and HABs
- Drinking water
- Fisheries
- Recreation and non-use values

Climate change and N interactions expected to impact forests and grasslands, and most aquatic services.



## For more information → Jana Compton compton.jana@epa.gov

